

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS1

Date: 7<sup>th</sup> March 2011

### LOGO SOFT STEELS

Quantity 10

Reference Numbers:

848774 848775 848776 848777 848778  
848781 848782 848779 848780 848783

Safety Factor 7 : 1

Max Working Load Basket Lift 4,000kgs

Max Working Load Chock Hitch 1600kgs

Max working Load – Straight Pull 2,000kgs

Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

1 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS8

Date: 7<sup>th</sup> March 2011

### LOGO ROUND SLINGS

Quantity 10  
Reference Numbers:  
002120711 – 720 inc  
Safety Factor 7 : 1  
Max Working Load Basket Lift 4,000kgs  
Max Working Load Chock Hitch 1600kgs  
Max working Load – Straight Pull 2,000kgs  
Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

6 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS7

Date: 7<sup>th</sup> March 2011

### LOGO ROUND SLINGS

Quantity 10  
Reference Numbers:  
002120701 – 710 inc  
Safety Factor 7 : 1  
Max Working Load Basket Lift 4,000kgs  
Max Working Load Chock Hitch 1600kgs  
Max working Load – Straight Pull 2,000kgs  
Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

4 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS6

Date: 7<sup>th</sup> March 2011

### LOGO ROUND SLINGS

Quantity 10

Reference Numbers:  
002120691 – 700 inc

Safety Factor 7 : 1

Max Working Load Basket Lift 4,000kgs

Max Working Load Chock Hitch 1600kgs

Max working Load – Straight Pull 2,000kgs

Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

2 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings manufactured by us and issued against this certificate comply with the above specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS5

Date: 7<sup>th</sup> March 2011

### LOGO ROUND SLINGS

Quantity 10  
Reference Numbers:  
002120681 – 690 inc  
Safety Factor 7 : 1  
Max Working Load Basket Lift 4,000kgs  
Max Working Load Chock Hitch 1600kgs  
Max working Load – Straight Pull 2,000kgs  
Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

1 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings manufactured by us and issued against this certificate comply with the above specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS4

Date: 7<sup>TH</sup> March 2011

### LOGO SOFT STEELS

Quantity 10

Reference Numbers:

848813 848809 848812 848810 848811  
848808 848807 848806 848805 848804

Safety Factor 7 : 1

Max Working Load Basket Lift 4,000kgs

Max Working Load Chock Hitch 1600kgs

Max working Load – Straight Pull 2,000kgs

Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

6 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS3

Date: 7<sup>th</sup> March 2011

### LOGO SOFT STEELS

Quantity 10

Reference Numbers:

848798 848797 848799 848801 848800  
848802 848803 848794 848796 848795

Safety Factor 7 : 1

Max Working Load Basket Lift 4,000kgs

Max Working Load Chock Hitch 1600kgs

Max working Load – Straight Pull 2,000kgs

Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

4 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 40054/RS2

Date: 7<sup>th</sup> March 2011

### SOFT STEELS

Quantity 10

Reference Numbers:

848786 848787 848784 848785 848790  
848791 848792 848788 848789 848793

Safety Factor 7 : 1

Max Working Load Basket Lift 4,000kgs

Max Working Load Chock Hitch 1600kgs

Max working Load – Straight Pull 2,000kgs

Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

2 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd



Unit 6, Aurillac Way  
Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Telephone 01777 700714  
Facsimile 01777 860719



ISO 9001  
FM523438

Registered in Gt. Britain Company No. 1623182

web: www.ropeassemblies.co.uk  
email: sales@ropeassemblies.co.uk

## EC Declaration of Conformity

**Certificate Number**     **42437-1**

Date Of Order.     22 November 2011

Our Sales Order No.     42437

Your Order No.     E-mail Andy Scott

Distinguishing Number Or Mark	Description Of Item(s). This should include size, material and particulars of any heat treatment	Number tested and examined	Date of test and / or examination	SWL.	Proof Load Applied
CE:1LF	3.25t Fed Spec Bow Shackle	30	23/11/2011	3.25t	6.50t
CE:1LH	4.75t Crosby Bow Shackle	40	23/11/2011	4.75t	9.5t

2. Name of maker, supplier or repairer

**ROPE ASSEMBLIES LTD**

3. Name of firm, company association or person undertaking the test and examination

**Hallcroft Industrial Estate,  
RETFORD Notts DN22 7PX**


**Tel: (01777)700714 Fax: (01777)860719**

4. Name of person and qualification or person who carried out the test and examination

**Test Superintendent**

I declare that the item(s) described above complies with the requirements of the Machinery Directive 2006/42/EEC and for electrically powered equipment The Electromagnetic Compatibility Directive 2004/108/EC.

Signature:



Name: L Martin

Date: 24 November 2011

**Name And Address of owner**

Lite Alternative Ltd  
Unit 4, Shadsworth Business Park  
Duttons Way  
Blackburn  
Lancs  
BB1 2QR

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 42356/RS2

Date: 14<sup>th</sup> October 2011

### ROUNDSLINGS

Quantity            30

Reference Numbers:  
2207410 – 7439 inc

Safety Factor                    7 : 1

Max Working Load Basket Lift      4,000kgs

Max Working Load Chock Hitch      1600kgs

Max working Load – Straight Pull    2,000kgs

Colour of Slings                    Black

#### INSPECTION CONFIRMED

Materials

**POLYESTER**

Dimensions

**2 Metres**

Sewing

**POLYESTER**


No. of tests to Destruction

**BS3481 (2)**

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name:            L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd

# ROPE

## ASSEMBLIES LTD

Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Tel: 01777 700714  
Fax: 01777 860719

### EC Certificate of Conformity

(Directive 98/37/EC) and Manufacturers Certificate (BS EN1492-1:2000 and 2:2000)

Certificate No. 42356/RS1

Date: 14<sup>th</sup> October 2011

### ROUNDSLINGS

Quantity 15

Reference Numbers:

2207395 – 7409 inc

Safety Factor 7 : 1

Max Working Load Basket Lift 4,000kgs

Max Working Load Chock Hitch 1600kgs

Max working Load – Straight Pull 2,000kgs

Colour of Slings Black

#### INSPECTION CONFIRMED

Materials

POLYESTER

Dimensions

1 Metres

Sewing

POLYESTER


No. of tests to Destruction

BS3481 (2)

Visual Inspection

Inspect thoroughly before re-use  
Beware of sharp edges  
Store away from heat  
Do not exceed working load

Signature:



Name: L.Martin

We hereby certify that the slings  
manufactured by us and issued against  
this certificate comply with the above  
specification.

Inspected by Rope Assemblies Ltd



Unit 6, Aurillac Way  
Hallcroft Industrial Estate  
Retford, Notts. DN22 7PX  
Telephone 01777 700714  
Facsimile 01777 860719



ISO 9001  
FM523438

Registered in Gt. Britain Company No. 1623182

web: www.ropeassemblies.co.uk  
email: sales@ropeassemblies.co.uk

## EC Declaration of Conformity

**Certificate Number**     **42437-1**

Date Of Order.     22 November 2011

Our Sales Order No.     42437

Your Order No.     E-mail Andy Scott

Distinguishing Number Or Mark	Description Of Item(s). This should include size, material and particulars of any heat treatment	Number tested and examined	Date of test and / or examination	SWL.	Proof Load Applied
CE:1LF	3.25t Fed Spec Bow Shackle	30	23/11/2011	3.25t	6.50t
CE:1LH	4.75t Crosby Bow Shackle	40	23/11/2011	4.75t	9.5t

2. Name of maker, supplier or repairer

**ROPE ASSEMBLIES LTD**

3. Name of firm, company association or person undertaking the test and examination

**Hallcroft Industrial Estate,  
RETFORD Notts DN22 7PX**


**Tel: (01777)700714 Fax: (01777)860719**

4. Name of person and qualification or person who carried out the test and examination

**Test Superintendent**

I declare that the item(s) described above complies with the requirements of the Machinery Directive 2006/42/EEC and for electrically powered equipment The Electromagnetic Compatibility Directive 2004/108/EC.

Signature:



Name: L Martin

Date: 24 November 2011

**Name And Address of owner**

Lite Alternative Ltd  
Unit 4, Shadsworth Business Park  
Duttons Way  
Blackburn  
Lancs  
BB1 2QR